## Surveyor

We invite you to take the road less traveled... and make it all the difference.





Surveyor Production Team: (Left to Right) Dale G., Service/Production Floater since 2001. Wayne "Junior" T., Group Plant Manager -3 Plants, Brian S., Plant Manager, 16 years+

## SURVEYOR.

#### FIELD TESTED SINCE 2001

"DO YEARS IN BUSINESS AND **EXPERIENCE BUILDING RV'S AT** THE SAME FACTORY MATTER WHEN CHOOSING WHICH TRAVEL TRAILER TO **PURCHASE ... WE THINK IT SHOULD!"** 



#### **5 Sided Aluminum Cage Construction**

Aluminum framing around all openings. Windows no caulking required, saves time and up to \$100s annually. Additional aluminum usage adds to the structural integrity.

#### 52 Cu. Ft. **Pass-Through Storage**

Constructed with upgraded "Drop Frame" for best in class exterior storage many models.

#### **Fully Laminated &** Insulated Walls (R9)

rear wall, slide room, and floor are double welded and ninched rolled at 1600 PSI and closed cell block foam insulation is used in the framing providing optimum heating/cooling comfort.

Quality constructed to a higher standard, Surveyors are Air-Pressured Sealed Tested to ensure maximum efficiency and comfort.

#### Coroplast Enclosed Heated Underbelly

- A. Almost indestructible, maintenance free.
- B. Insulates underbelly & tanks, forms a double walled layer pocket of air
- C. 2" laminated aluminum floor with aluminum cross studding & double laid plywood flooring

#### **Azdel Onboard**

Composite panels produced using a patented blend of polypropylene and fiberglass, which replaces wood backing. Used on Surveyor sidewalls, rear, front and slide room walls. (NA Front of Luxury, Fiberglass Cap)



- A. Protects against delamination repels water; no rot, mold, or warpage.
- B. Unaffected by humidity or temperature changes common cause of delamination.
- C. 2x insulation value blankets like a "radiant foil"
- D. 1/2 the weight of wood keeps fuel costs down.
- 🕏 E. Longer life and better resale value.
- (1) F. Quieter RV absorbs sound waves.

#### **PVC Membrane - Fully Walkable Roof**

16" on center aluminum trusses (wood on Sub-4,000 lb series), featuring 3/8" decking, residential R14 blanket insulation, finished with best in class PVC roof membrane.

- A. No treatments required ever. Save time every 6-12 months & up to \$100s annually.
- B. Most energy efficient & UV reflective roof.
- C. 15 year warranty, 100% coverage.
- D. 2x the tear puncture strength of rubber & TPO roofs
- E. No chalk, streaks, or spots.





Scan QR to see Surveyor Advantages or visit www.forestriverinc.com/Survevor





## TWO-TIME SURVEYOR OWNERS, IN THEIR OWN WORDS

We just purchased our 2nd Surveyor. We really enjoyed our current Surveyor, both the quality of workmanship, the layout, and the amount of storage.

We are experienced RV'ers and over the years we have owned campers, fifth wheels, and travel trailers; so when we determined we needed a little longer travel trailer for our extended trips, we immediately thought of another Surveyor and our excellent dealings with the previous dealer.

Lynn & Michele Adair Tallahassee, FL. 2019

## "GO CONFIDENTLY IN THE DIRECTION OF YOUR DREAMS! LIVE THE LIFE YOU'VE IMAGINED"

THOREAU



## QUALITY & PDI

Near to far: Brenna F., Quality/Final Finish Leader, 15 years. Shae S. M., PDI/Quality Leader, 7 years.


### FINAL INSPECTION STATION

"It takes a lot of testing before we put our stamp of approval on it."















Sub-4000s are designed for those looking for shorter, lighter, and an active on the go lifestyle, without having to compromise "comfort."



- JOHN MUIR





















	UVW	C.C.C.	HITCH	LENGTH *	HEIGHT **	CAPACITY (GAL.)
19 <b>BHLE</b>	3814	991	405	23' 4"	10' 3"	30 30 30
19 <b>RBLE</b>	3749	996	345	23′ 4″	10' 3"	30 30 30
						EDECH CDAV DIACA

\*LENGTH FROM COUPLER TO BUMPER // \*\*HEIGHT INCLUDES TOP OF A/C





7-PLUG

Legend Murphy Beds are the smartest use of space in order to tow a shorter trailer that has both a dinette & sofa. It's your call - you can leave the Murphy Bed down full time OR easily flip up and use the sofa. Surveyors are better designed; 60 x 80 Residential Queen Bed, like at home. Add a mattress pad if you want, it fits! The key is your mattress & bedding are NOT exposed in pass thru storage nor taking up valuable storage space.

#### 200**MBLE**



#### **203RKLE**





	UVW	C.C.C.	нітсн	LENGTH *	HEIGHT **	CAPACITY (GAL.)
200 <b>MBLE</b>	4601	2879	480	23' 8"	11' 3"	40 40 30
203 <b>RKLE</b>	TBD	TBD	TBD	24' 10"	11' 3"	40 40 30
240 <b>BHLE</b>	5137	2380	517	25' 11"	11' 3"	40 40 30
						FRESH GRAV RIACK

<sup>\*</sup>LENGTH FROM HITCH TO REAR BUMPER // \*\*HEIGHT INCLUDES TOP OF A/C





"KIDS NEVER
REMEMBER THEIR
BEST DAY OF
TELEVISION."

- UNKNOWN









Reid G., Regional Sales Manager,

Serving our customers & RV dealerships since 2003.

#### **241RBLE**



#### **252RBLE**



#### 296**QBLE**



#### **202RBLE**



#### **248BHLE**



#### 295**QBLE**



#### 320BHLE





	UVW	C.C.C.	нітсн	LENGTH *	HEIGHT **	CAPACITY (GAL.)
202 <b>RBLE</b>	4628	2837	465	24' 4"	11' 2"	40 40 30
241 <b>RBLE</b>	4961	2579	540	27' 0"	11' 2"	40 65 35
248 <b>BHLE</b>	5504	2106	610	29' 11"	11' 2"	40 60 30
252 <b>RBLE</b>	5168	2387	555	28' 11"	11' 2"	40 40 30
295 <b>QBLE</b>	5995	1782	777	33' 0"	11' 2"	40 40 30
296 <b>QBLE</b>	6468	3032	700	34' 11"	11' 3"	40 40 30
320 <b>BHLE</b>	TBD	TBD	TBD	37' 0"	11' 5"	40 80 70
*I ENCTU EDOM COUDI ED TO	DIIMDED // **HEICH.	T INCLUDES TOD OF A/C				FRESH GRAY BLACK



#### EZ GLIDE SOFA













Is "**Glamping**" an over used term to describe some travel trailers? With Surveyor Luxury ... you be the judge.

"WE TRAVEL NOT TO ESCAPE LIFE, BUT FOR LIFE NOT TO ESCAPE US."

- ANONYMOUS







# 245BHS



250**FKS** 





266**RLDS** 

267**RBSS** 



272FLS

287**BHSS** 















POWER TONGUE JACK
LED E
EXTERIOR & INTERIOR LIGHTING

	UVW	C.C.C.	HITCH	LENGTH *	HEIGHT **	CAPACIT	Y (GAL.)
245 <b>BHS</b>	5204	2422	626	28' 3"	11' 2"	40 40	30
250 <b>FKS</b>	5543	2232	775	28' 8"	11' 3"	40 60	30
251 <b>RKS</b>	5721	2047	768	29' 6"	11' 3"	40 60	30
266 <b>RLDS</b>	6273	1492	765	31' 3"	11' 3"	40 40	30
267 <b>RBSS</b>	6009	1719	728	30' 11"	11' 3"	40 60	30
272 <b>FLS</b>	6028	3407	635	31' 11"	11' 3"	40 40	30
287 <b>BHSS</b>	6065	1545	610	32' 10"	11' 3"	40 60	30
*LENGTH FROM COUPLER TO	BUMPER // **HEIGHT II	NCLUDES TOP OF A/C				FRESH GRAY	BLACK

\*LENGTH FROM COUPLER TO BUMPER // \*\*HEIGHT INCLUDES TOP OF A/C









# "OF ALL THE PATHS YOU TAKE IN LIFE, MAKE SURE A FEW OF THEM ARE DIRT..."

- MUIR

#### 226**RBDS**



#### 247BHDS 265RLDS





	UVW	c.c.c.	HITCH	LENGTH *	HEIGHT **	CAPACITY (GAL.)
226 <b>RBDS</b>	5028	2630	658	25' 10"	11' 2"	40 40 30
247 <b>BHDS</b>	5836	1745	581	29' 4"	11' 3"	40 70 30
265 <b>RLDS</b>	6223	1542	765	31' 3"	11' 3"	40 40 30
*I ENGTH EDOM HITCH TO DEA	FRESH GRAY BLACK					

PORCELAIN TOILET

USB
FORTS







#### TRULY HOME AWAY FROM HOME

You may be camping for a night or taking the trip of a lifetime, Surveyor King Bed Models have the storage space and features to ensure everlasting memories.










#### 33K**FKDS**





	UVW	C.C.C.	HITCH	LENGTH *	HEIGHT **	CAPACITY (GAL.)
33K <b>FKDS</b>	7128	2547	875	36' 11"	11' 5"	40 60 30
33 <b>KRLOK</b>	7614	1951	765	36' 11"	11' 5"	40 75 35
						FRESH GRAY BLACK

<sup>\*</sup>LENGTH FROM HITCH TO REAR BUMPER // \*\*HEIGHT INCLUDES TOP OF A/C



IN-HOUSE TO BETTER SERVE.

Left to right: (entire department not shown): Susan T., Warranty/Parts/Service Manager, taking care of everyone's needs since 2006. Amanda H., Senior Parts Administrator, shipping the right parts fast Worldwide.

#### PEACE OF MIND - YOU'RE NEVER ALONE



#### 24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE\*

**TOWING** JUMP-STARTS TIRE CHANGES FLUID DELIVERY **LOCKOUT SERVICE** 

WINCH-OUT MOBILE MECHANIC **TECHNICAL SUPPORT DEALER LOCATOR SERVICES** 



**\*VALID FOR 1 YEAR FROM DATE OF PURCHASE** 

#### **CUSTOMER SATISFACTION**

FOREST RIVER encourages you to BUY FREE MEMBERSHIP to Forest River Owners' Group www.forestriverfrog.com

or OTG (OFF THE GRID), RV'ing is not just a thing to do, it's a lifestyle! At Surveyor Service, we get it.

Whether at an Ocean Front campsite



www.ForestRiverBuyLocal.com WWW.FORESTRIVERINC.COM/SURVEYOR

#### Surveyor Division, Forest River, Inc. 2405 Century Dr., Goshen, IN 46528 (574) 642.3119



Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

YOUR SURVEYOR DEALER

#### **OFF-SITE PDI TESTING - EVERYDAY!**



#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

**GAWR (Gross Axle Weight Rating)** - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo,

fresh potable water, additional optional equipment or dealer installed

\*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1717 P/W: 2020.01.10