

LUXURY FIFTH WHEELS BY FOREST RIVER




# LUXURY FIFTH WHEELS

Sierra's mission is to combine luxury and comfort, with ease and options. Offering creative floorplans like front living, mid-bunk/offices, or bunkhouses, Sierra is certain to stand out among the rest. Features like automatic level up, 22 cubic foot french door refrigerator, and underbelly armor combine to create a perfect balance of size, space and luxury for any traveler.







BUILT TO LAST.

The Sierra is built to last using only the best materials to ensure that your coach is in it for the long haul. Careful engineering, well-appointed craftsmanship and an uncompromising sense of pride go into every fifth wheel that we produce. Rest assured that your Sierra is built for luxury living.

- A Rolled Aluminum Side Skirting
- B Tinted Safety Glass Windows (80%)
- Dual Zone Ducted 15K BTU Air Conditioning Systems
- D Lippert EZ Lube Axles with Self Adjusting Brakes
- E Laminated Vacuum Bonded Aluminum Sidewalls with Underbelly Armor
- F Goodyear® 16" Radial Tires (87 mph speed rating)
- G MORryde® "Step Above" with Strut Assist Entry Steps

- H Dicor Color Matched Seamless Roof (20-yr. Warranty)
- 2" Block Foam Insulation
- Deluxe Stain Resistant Carpet with Padding
- K 3/8" Roof decking (Full Walk-on Roof)
- L 5/8" Tongue and Groove Plywood Flooring
- M Enclosed Underbelly
- N I-Beam Powder-Coated Frame with Rust Inhibitor
- Aluminum Laminated and Insulated Bath Deck

- P 6 Point Automatic Hydraulic Leveling System
- Sleek Radius Roof
- R Color Matched High Gloss Gelcoat Fiberglass Exterior
- S Two-tone Painted Fiberglass Front Cap (Standard)
- T Improved Front Cap for Sharper Turning Radius
- U Insulated Slam Lock Baggage
- V Oversized Entry Doors
- W GoPower® 190W Roof Mounted Solar Panel with Controller and Battery

#### SIERRA LUXURY FIFTH WHEEL

# STANDARDS & OPTIONS

#### **EXTERIOR FEATURES**

GoPower 190W roof mounted solar panel with controller and battery

Color match high gloss gel coat colored exterior fiberglass

Painted two-tone aerodynamic fiberglass front cap with improved turning radius

Docking station: Easy winterization, hot and cold spray port, black tank flush, pull valves for tanks

Enclosed and heated dump valves

Underbelly Armor
Large tinted windows with 80/20 UV

prohibiter
Aluminum radius quad entry steps

Electric awning with LED light strip

16" Goodyear® Radial tires Automotive-style fender skirts

Hitch light

Exterior kitchen (per floor plan)

Porch light with interior switch

30 lb. double LP tanks on slide tray with auto change over

Roof ladder

2 LED lighted exterior speakers

Rain gutters with extra long drip spouts (prevents black streaking)

Insulated heavy duty slam lock baggage doors

Exterior fold-able grab handle
Unobstructed drop frame pass through
storage area with cable jacks and 110V outlet

2 spray ports with 25' hose (one on each side)

Upgraded aluminum rims 7.000 lb. axles

Friction hinge entry door

Hydraulic front jacks

#### FIFTH WHEEL COMFORT PACKAGE

Two 15K A/Cs with individual thermostats Electric fireplace with 5,200 BTU space heater 35K BTU furnace

High efficiency radiant foil (roof and floor) Heated Holding Tanks (12V)

#### SAFETY PACKAGE

Smoke alarm

Fire extinguisher

Breakaway switch (battery hook-up required)

Dead-bolt lock on entry door LP/CO gas detector

Fire escape windows

#### SIGNATURE PACKAGE

Stainless appliance package

Slam lock baggage doors

30" OTR Stainless microwave

Two 15K Air conditioners

Back splash

10 Gal. G/E water heater w/DSI

Soft close residential drawers and

cabinet doors

16" spare tire

Docking station

Aluminum wheels with 7K axles

High gloss gel-coat fiberglass exterior

Washer/drver prep

50" Flat screen television

Water filter system

Premium sound bar with DVD player

Power fan in bathroom(s)

22 cu. ft. refer w/1000 watt inverter

Electric awning w/ LED light strip

Backup camera prep

LED interior lighting throughout

LP quick disconnect

Shaw linoleum and carpet

Roller shades

Underbelly armor

#### **POPULAR OPTIONS**

Second MORryde® "Step Above" w/ strut (two door models)

Tri-fold hide-a-bed with hinged bunk overhead (bunk slides)

Free-standing dinette with 4 chairs (per floor plan)

18 cu. ft. gas/electric refer

Washer and dryer

Generator prep

MaxxAir fan w/rain sensor

32" bedroom TV

Central vacuum
Slide room awnings

#### INTERIOR FEATURES

84" Interior height with 6'4" slide heights

Hardwood slide-out fascia

Stainless steel appliances

Rustic wood plank linoleum

Decorative back splash

Two color coordinated interiors

Soft close full extension drawer glides

Hidden hinged cabinet doors with soft close

full extension drawer glides

Stainless steel under mounted kitchen sink

Washer/Dryer prep

Handmade cabinetry with screwed

lumber core stile construction

LED lighting throughout

Soild surface kitchen counter tops

Recessed residential lighting

Colored shower surround

Upgraded adjustable shower head with shelf

Theater seating with LED lighting

Accent lighting over dinette

LED lighting at islands

Night lights on fifth wheel steps

Walk-in shower with seat (most models)

Mocha accent crown molding

over kitchen cabinets

Extra large picture windows throughout

Vented side windows in slide-outs

TV antenna with booster

Solid wood drawer fronts with birch sides

Upgraded raised panel cabinet doors

with designer rails

Bedroom slide out fascia

LED lighted headboard

Teddy Bear® bunk mats

50" flat screen LED HD TV

Premium soundbar with built in flush

mounted DVD player

Designer window treatment accented

per décor Ceiling fan

Tri-fold hide-a-bed sofa

Glider sofa with USB/110 outputs

(standard in all off door bunk slides)

Residential stain resistant carpet

Quilted bedspread

Trash receptacle in kitchen

#### **CONSTRUCTION FEATURES**

Welded aluminum-framed, vacuum bonded

laminated superstructure

2" x 3" floor joists 12" on center

5/8" tongue & groove plywood floor decking

3/8" roof decking

Cambered powder coated frame with rust prohibiter

Fully enclosed heated underbelly

5" truss roof rafters

R-10 sidewall construction

Laminated sidewalls

Laminated slide-out walls

#### PLATINUM PACKAGE

Soild surface kitchen counter tops

6 point hydraulic leveling system

High efficiency radiant foil (roof and floor)

King Memory Foam Mattress (where available)

2nd 15K ducted A/C

Maxx Air Fan in kitchen and bathroom

King WiFi extender system

3 camera security prep

#### ULTIMATE KITCHEN PACKAGE

22 Cu. Ft. Stainless refer with

1000 watt inverter

4 Burner stainless range (N/A 38FKOK)

30" OTR Stainless microwave

Solid surface counter tops

Stainless steel sink

Soft close doors and drawers

#### **ULTIMATE ENTERTAINMENT PACKAGE**

50" Flat screen TV

Soundbar with DVD player

Exterior speakers


#### OPTIONAL POLAR TECH PACKAGE

Thermal pane windows

40K BTU furnace

# SIERRA FIFTH WHEEL FLOOR PLANS

#### 321RL




HITCH (LB.) 1,710 GVWR (LB.) 13,669 UVW (LB.) 10,669 CCC (LB.) 3,000

EXT. LENGTH 35' 0" EXT. HEIGHT 13' 5" EXT. WIDTH 96"

FRESH (GAL.) 50 GRAY (GAL.) 52 BLACK (GAL.) 52 AWNING SIZE 16'

### 384QBOK




HITCH (LB.) 2,261 GVWR (LB.) 16,132 UVW (LB.) 13,132 CCC (LB.) 3,000

EXT. LENGTH 41' 8" EXT. HEIGHT 13' 5" EXT. WIDTH 96"

FRESH (GAL.) 50 GRAY (GAL.) 134 BLACK (GAL.) 104 AWNING SIZE 15'


379FLOK



HITCH (LB.) 2,568 GVWR (LB.) 16,069 UVW (LB.) 13,069 CCC (LB.) 3,000

EXT. LENGTH 42'9" EXT. HEIGHT 13'5" EXT. WIDTH 96"

FRESH (GAL.) 50 GRAY (GAL.) 134 BLACK (GAL.) 52 AWNING SIZE 20'




HITCH (LB.) 2,115 GVWR (LB.) 15,904 UVW (LB.) 12,904 CCC (LB.) 3,000

EXT. LENGTH 43' 5" EXT. HEIGHT 13' 5" EXT. WIDTH 96"

EXT. WIDTH CO

FRESH (GAL.) 50 GRAY (GAL.) 104. BLACK (GAL.) 104 AWNING SIZE 15'

#### **38FKOK**



HITCH (LB.) 2,256 GVWR (LB.) 15,823 UVW (LB.) 12,823 CCC (LB.) 3,000

EXT. LENGTH 41' 9" EXT. HEIGHT 13' 5" EXT. WIDTH 96"

FRESH (GAL.) 50 GRAY (GAL.) 134 BLACK (GAL.) 52 AWNING SIZE 20'

#### **391FLRB**




HITCH (LB.) 2,560 GVWR (LB.) 16,009 UVW (LB.) 13,009 CCC (LB.) 3,000

EXT. LENGTH 43'6" EXT. HEIGHT 13'5" EXT. WIDTH 96"

FRESH (GAL.) 50 GRAY (GAL.) 104 BLACK (GAL.) 82 AWNING SIZE 20'

#### **39BARK**



HITCH (LB.) 2,105 GVWR (LB.) 15,079 UVW (LB.) 12,079 CCC (LB.) 3,000

EXT. LENGTH 41' 0" EXT. HEIGHT 13' 5" EXT. WIDTH 96" FRESH (GAL.) 50 GRAY (GAL.) 104 BLACK (GAL.) 52 AWNING SIZE 16'



# SIERRA WARRANTY. OUR PROMISE.

FOR DETAILS ON SIERRA'S COMPLETE WARRANTY PROGRAM, SEE YOUR SIERRA DEALER. When it comes to backing products with the same quality and commitment it does when it begins the manufacturing process, the only name you have to remember when you're looking for a recreational vehicle is Sierra. Sierra offers the following additional limited warranties to the original purchasers. Consult written warranty for details.





#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



# Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.

5547 CR. 1 ELKHART, INDIANA 46515 www.forestrivering.com/sandpiper | 574.389.4600











See what's happening on these media platforms @SierraRVs **CUSTOMER SATISFACTION** 





YOUR SIERRA DEALER

Specification Definitions:: GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories that can be safely supported by a combination of all axles: // UVW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight, including cargo, fluids, optional equipment or dealer installed accessories. "Estimated areage based on standard build optional equipment. // ECC (Cargo Carrying Capacity)\*\*- is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, cargo, additional optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, additional optional equipment and accessories. The beat areage based on standard build optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, additional optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, additional optional equipment and accessories. The beat areage based on standard build optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, additional optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, additional optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, additional optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, additional optional equipment and accessories. (It is equal to 6VWR minus UVW Available (It should accommodate fresh potable water, additional optional equipment and accessories. (It