





16BHSW



16CM

16LP



16EV











17JW







W#LFPUP

REAR RAMP & TRAVEL TRAILERS

	14CCW	16BHSW	16CM	16EV	16FQW	16KHW	16LP	17EV	17JW	17SC	18RJBW
Dry Hitch Weight	375-LBS	475-LBS	426-LBS.	393-LBS.	445-LBS.	535-LBS.	403-LBS	350-LBS.	607-LBS.	460-LBS.	655-LBS.
Ship Weight	3295-LBS.	3575-LBS	3801-LBS.	3037-LBS.	3600-LBS.	3970-LBS.	3045-LBS	3030-LBS	4292-LBS.	4145-LBS.	3860-LBS.
Unloaded Vehicle Weight	3314-LBS.	3594-LBS.	3820-LBS	2995-LBS.	3619-LBS.	3989-LBS.	3064-LBS	3030-LBS	4311-LBS.	4164-LBS.	3879-LBS.
Cargo Carrying Capacity	2161-LBS.	1981-LBS.	1706-LBS.	2498-LBS.	1926-LBS.	1646-LBS.	839-LBS	2420-LBS.	1396-LBS.	1396-LBS.	1876-LBS.
Axle Weight	2920-LBS.	3100-LBS.	3375-LBS.	2644-LBS.	3155-LBS.	3435-LBS.	2642-LBS	2680-LBS.	3685-LBS.	3685-LBS.	3205-LBS.
Exterior Length	19'-3"	21'-9"	23'10"	21'-9"	21'-10"	23'-9"	21'-9"	21'-10"	23'-11"	23'10"	22'-8''
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"
Exterior Width	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"
Grey Capacity	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.
Black Capacity	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.
Fresh Capacity	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.

















TRAVEL TRAVEL TRAILERS

	19SM	20RDSE	22CE	22MKSE	23DBH	23MK
Dry Hitch Weight	526-LBS.	450-LBS.	615-LBS	585-LBS.	621-LBS.	608-LBS.
Ship Weight	4788-LBS.	4015-LBS.	4915-LBS	4303-LBS.	5342-LBS.	5025-LBS.
Unloaded Vehicle Weight	4826-LBS.	4053-LBS.	4953-LBS.	4341-LBS.	5380-LBS.	5063-LBS.
Cargo Carrying Capacity	2700-LBS.	3397-LBS.	2662-LBS	3244-LBS.	2241-LBS.	2545-LBS.
Axle Weight	4262-LBS.	3565-LBS.	4300-LBS	3718-LBS.	4721-LBS.	4417-LBS.
Exterior Length	24'-5"	25'-4"	26'-2"	26'-9"	29'-5"	29'-0"
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"
Exterior Width	97"	97"	97"	97"	97"	97"
Grey Capacity	38 GAL	38 GAL.	38 GAL	38 GAL	38 GAL	38 GAL
Black Capacity	38 GAL	28 GAL.	38 GAL	28 GAL	38 GAL	38 GAL
Fresh Capacity	52-GAL	52-GAL.	52-GAL	52-GAL.	52-GAL	52-GAL







USB PRINC PR







TRAVEL TRAVEL TRAILERS

	26BRB	26DBH	26EV	26DJSE	26LK	26PS
Dry Hitch Weight	811-LBS.	725-LBS.	605-LBS	574-LBS	815- LBS	TBD
Ship Weight	6768-LBS.	5757-LBS.	4425-LBS	4558-LBS	5735-LBS	TBD
Unloaded Vehicle Weight	6730-LBS.	5795-LBS.	4425-LBS	4596-LBS	5773 LBS	TBD
Cargo Carrying Capacity	1043-LBS.	1930-LBS.	3180-LBS.	2978-LBS	2042 -LBS	TBD
Axle Weight	5919-LBS.	5032-LBS.	3820-LBS.	3984-LBS	4920 -LBS	TBD
Exterior Length	32'-7''	31' 9"	29'-6"	29'-6"	31'- 9"	TBD
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"	10'-6"	10' -8"	10' -8"
Exterior Width	97"	97"	97"	97"	96"	96"
Grey Capacity	38 GAL	38 GAL	38 GAL	38 GAL	38-GAL	38-GAL
Black Capacity	28 GAL.	28 GAL	28 GAL	28 GAL	28-GAL.	28-GAL.
Fresh Capacity	52-GAL	52-GAL	52-GAL	52-GAL.	52-GAL.	52-GAL.


















TRAVEL TRAILERS

	2688	27GH	27LH	29NM	29QB	29TE
Dry Hitch Weight	700- LBS	905-LBS	755-LBS	905-LBS	977-LBS	837-LBS
Ship Weight	6145-LBS	6260-LBS	5915- LBS	6820-LBS	6580-LBS	6390-LBS
Unloaded Vehicle Weight	6183- LBS	6298-LBS	5953-LBS	6858-LBS	6618-LBS	6428- LBS
Cargo Carrying Capacity	1517 -LBS	1607- LBS	1802-LBS	1047-LBS	1,359- LBS	1409-LBS
Axle Weight	5445-LBS	5355-LBS	5160-LBS	5915-LBS	5603-LBS	5553-LBS
Exterior Length	30'-11"	31'-0"	33'6"	37' 7"	36'-8"	36'-8"
Exterior Height w/A/C	10'-6"	10'-8"	10'-8"	10'-8"	10'-8"	10'-8"
Exterior Width	97"	97"	97"	97"	97"	97"
Grey Capacity	38-GAL.	38 GAL	38-GAL.	38-GAL.	38-GAL	38-GAL.
Black Capacity	38-GAL.	38 GAL	38-GAL.	38-GAL.	38-GAL	38-GAL.
Fresh Capacity	52-GAL.	52-GAL	52-GAL.	52-GAL.	52-GAL	52-GAL.









24RRT



25RRT











CREY WELF

	18RR	22RR	24RRT	25RRT	27RR
Dry Hitch Weight	550-LBS	686-LBS.	995-LBS	690-LBS.	1159-LBS.
Ship Weight	4425-LBS	4833-LBS.	5815-LBS	5065-LBS.	6533-LBS.
Unloaded Vehicle Weight	4463-LBS	4871-LBS.	5853-LBS	5103-LBS.	6571-LBS.
Cargo Carrying Capacity	3087-LBS	2815-LBS.	2142- LBS	2587-LBS.	1588-LBS.
Axle Weight	3875-LBS	4147-LBS.	4820-LBS	4375-LBS.	5374-LBS.
Exterior Length	24'-1"	29'-0"	33'- 4"	30'-10"	34'-2"
Exterior Height w/ AC	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"
Exterior Width	97"	96"	97"	97"	97"
Grey Capacity	28 GAL	38 GAL	38 GAL	38 GAL	38 GAL
Black Capacity	28 GAL	28 GAL	38 GAL	38 GAL	38 GAL
Fresh Capacity	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL




















	271RK	273XLK	294GEBG	301BH	304SR	306MM
Dry Hitch Weight	TBA	865-LBS.	785-LBS.	830-LBS.	1150-LBS.	900-LBS.
Ship Weight	TBA	7180-LBS.	6940-LBS.	7750-LBS.	8910-LBS.	8540-LBS.
Unloaded Vehicle Weight	TBA	7218-LBS.	6978-LBS.	7788-LBS.	8948-LBS.	8578-LBS.
Cargo Carrying Capacity	TBA	2781-LBS.	4007-LBS.	3242-LBS.	2402-LBS.	2522-LBS.
Axle Weight	TBA	6315-LBS.	6155-LBS.	5220-LBS.	7760-LBS.	7640-LBS.
Exterior Length	TBA	33'-4"	36'-8"	37'-6"	38'-11"	40'-1"
Exterior Height w/ AC	TBA	11'-1"	11'-1"	11'-1"	11'-1"	11'-1"
Exterior Width	TBA	97"	97"	97"	97''	97"
Grey Capacity	TBA	38-GAL	76-GAL	38-GAL	38-GAL	38-GAL
Black Capacity	TBA	38-GAL	38-GAL	38-GAL	38-GAL	38-GAL
Fresh Capacity	TBA	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES





PRE-DELIYERY INSPECTION FACILITY
20,000 square feet of quality assurance. The bare essentials for a premium product.
This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

W\$LFPUP GREY W\$LF DEN **FEATURES & OPTIONS**

EXTERIOR	WP	GW	WD	INTERIOR	WP	GW	WD
26" Wide Door IPO 22" Door	S	S	S	12V High Efficiency Refrigerator	7.1 CF	10.7 CF	10.7 CF
Adventure Package incl. Aggressive Off-Road Tires, Diamond Plated Skirting				Air Fryer Convection Microwave Oven	NA	S	S
and Lifted Frame (NA on EV or LP Models)	S	#	#	Bathroom Fan	S	S	S
Aerodynamic Smooth Radius Front Profile	S	S	S	Bedside Inverter (NA on EV or LP models)	S	S	S
Blackout Glass, Safety Slam, Friction Hinge Entry Door with Window				Electric Fireplace (where applicable)	NA	S	S
and Shade Prep	S	S	S	Farm Sink with Cutting Board, Drying Rack, Strainer and Cup Washer	NA	S	S
Cherokee Exclusive Stable Step with Oversized Landing				Flush mount Range with Cover (NA on EV models)	S	S	S
(NA on EV and LP Models)	S	S	S	High Output Cooktop	S	S	S
Flip Down Travel Rack (NA on RR models)	0	S	S	Air Conditioner (BTU)	13.5K	15K	15K
Four Stabilizer Jacks (NA on EV and LP models)	S	S	S	Furnace (BTU)	20K	30K	30K
Full Length Power Awning	S	S	S	Black Tank Flush Out Kit	S	S	S
High Impact Front Metal IPO Corrugated Metal	S	S	S	Gaucho Brackets for Easy Flip Down Cushion Removal (RR's only)	#	#	#
Ladder Prep	S	S	S	Inside and Outside Speakers	S	S	S
Large Exterior Folding Assist Handle (NA on EV or LP models)	S	S	S	LED Interior Lights	S	S	S
Moonshade Patio Cover (RR's only)	#	#	#	Light Filtering Sheer Shading Premium Blackout Zebra Blinds	NA	S	S
One Piece, Walkable Decked Roof	S	S	S	Oversized Dinette and Removable Table	S	S	S
Outdoor Shower with Hot and Cold Water	S	S	S	Premium Bedding and Comforter	NA	S	S
Outside Kitchen - Largest Available based on Space	S	S	S	Range Hood with Light and Fan	S	S	S
Outside Storage Door	S	S	S	RV King Bed (where applicable)	NA	S	S
Ramp Door Patio System (RR's Only)	#	#	#	Seamless Countertop	S	S	S
RV Grill LP Quick Connect (NA on EV models)	S	S	S	Shower Tub Surround	S	S	S
Solar Reflective Thermo Controlled Tinted Safety Glass Windows	S	S	S	USB-C Charging Stations	S	S	S
Spare Tire (Optional on EV and LP models)	S	S	S				
Tufflex PVC Seamless Roof Membrane with Heat Reflectivity	S	S	S	ENHANCED FEATURES			
TV Antenna and Hookups	S	S	S	Deep Tinted Frameless Automotive Glass Windows	BL	BL	BL
Juice Pack * 200W Roof Mounted Solar Panel, 30 Amp Charge				High Gloss Gel Coat Exterior Sidewalls	BL	BL	BL
Controller, Volt Meter & Battery Disconnect (NA on EV or LP Models)	S	S	S	Multicolor Reading Lights	BL	BL	BL
Power Gear Frame Technology and Space Saver Rail Design	S	S	S	Pillowtop Mattress Upgrade	BL	BL	BL
Tongue and Groove Plywood Flooring (5/8")	S	S	S	Power Tongue Jack	BL	S	S
Power Tongue Jack (Wolf Pup Quick Drop Jack)	NA	S	S	Pull Out Sprayer Faucet	BL	S	S
Cherokee Backup Camera System	S	S	S	Solid Surface Countertops	BL	BL	BL
Exterior LED Light Strip at Awning	S	S	S	Thermo Foil Arctic Insulation	BL	BL	BL
External Scare Light	S	S	S	Upgraded Shower Head w/Rain Feature	BL	BL	BL

S = Standard Feature 0 = Optional Feature NA = Not Applicable or Not Available # = Standard on Ramp Models BL = Black Label Package Feature











WWW.FORESTRIVERINC.COM/CHEROKEE 574.264.6664

SPECIFICATION DEFINITIONS 6VWR (Gross Vehicle Weight Rating)-is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOI exceed the GVWR. // GAWR (Gross Axle Weight Rating)-is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. // UVW (Unloaded Vehicle Weight)*—is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated average based on standard build optional equipment. // CCC (Cargo Carrying Capacity)**-is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to 6VWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. ** Estimated average based on standard build optional equipment. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A FOR 2486 P&W: 2024.08.28